VOL. 608, NOS. 1+2 JOURNAL OF CHROMATOGRAPHY SEPTEMBER 11, 1992

CONTENTS

4TH INTERNATIONAL SYMPOSIUM ON HIGH PERFORMANCE CAPILLARY ELECTROPHORESIS, AMSTERDAM, FEBRUARY 9–13, 1992

Foreword
by Th. P. E. M. Verheggen 1

On-column transient and coupled column isotachophoretic preconcentration of protein samples in capillary zone electrophoresis
by F. Foret, E. Szoko and B. L. Karger (Boston, MA, USA) 3

Conversion of capillary zone electrophoresis to free-flow zone electrophoresis using a simple model of their correlation. Application to synthetic enkephalin-type peptide analysis and preparation
by V. Kašička, Z. Prusík and J. Pospíšek (Prague, Czechoslovakia) 13

Microemulsion electrokinetic chromatography: comparison with micellar electrokinetic chromatography
by S. Terabe and N. Matsubara (Hyogo, Japan) and Y. Ishihama and Y. Okada (Kyoto, Japan) 23

Micellar electrokinetic capillary chromatography of neutral solutes with micelles of adjustable surface charge density
by J. Cai and Z. El Rassi (Stillwater, OK, USA) 31

Sample self-stacking in zone electrophoresis. Theoretical description of the zone electrophoretic separation of minor compounds in the presence of bulk amounts of a sample component with high mobility and like charge
by P. Gebauer (Brno, Czechoslovakia), W. Thormann (Berne, Switzerland) and P. Boček (Brno, Czechoslovakia) . . 47

Effects of carrier electrolyte composition on separation selectivity in capillary zone electrophoresis of low-molecular-mass anions
by W. Buchberger (Linz, Austria) and P. R. Haddad (Kensington, Australia) 59

Optimization of selectivity in capillary zone electrophoresis via dynamic pH gradient and dynamic flow gradient
by H.-T. Chang and E. S. Yeung (Ames, IA, USA) 65

Laser fluorescence detector for capillary electrophoresis
by E. S. Yeung (Ames, IA, USA) and P. Wang, W. Li and R. W. Giese (Boston, MA, USA) 73

Dynamic light-scattering studies of hydroxyethyl cellulose solutions used as sieving media for electrophoretic separations
by P. D. Grossman, T. Hino and D. S. Soane (Berkeley, CA, USA) 79

Indirect time-resolved luminescence detection in capillary zone electrophoresis
by M. W. F. Nielen (Arnhem, Netherlands) 85

Indirect photometric detection of polyamines in biological samples separated by high-performance capillary electrophoresis
by Y. Ma, R. Zhang and C. L. Cooper (Kirksville, MO, USA) 93

Theoretical and experimental aspects of indirect detection in capillary electrophoresis
by G. J. M. Bruin, A. C. van Asten, X. Xu and H. Poppe (Amsterdam, Netherlands) 97

Membrane fraction collection for capillary electrophoresis
by Y.-F. Cheng, M. Fuchs, D. Andrews and W. Carson (Milford, MA, USA) 109

Low-cost laser-induced fluorescence detector for micellar capillary zone electrophoresis. Detection at the zeptomol level of tetramethylrhodamine thiocarbamyl amino acid derivatives
by J.-Y. Zhao, D.-Y. Chen and N. J. Dovichi (Edmonton, Canada) 117

Application of capillary isoelectric focusing with universal concentration gradient detector to the analysis of protein samples
by J. Wu and J. Pawliszyn (Waterloo, Canada) 121

Analogy between micelles and polymers of ionic surfactants. A capillary isotachophoretic study of small ionic aggregates in water–organic solutions
by C. Tribet, R. Gaboriaud and P. Gareil (Paris, France) 131

Effect of total percent polyacrylamide in capillary gel electrophoresis for DNA sequencing of short fragments. A phenomenological model
by H. R. Harke, S. Bay, J. Z. Zhang, M. J. Rocheleau and N. J. Dovichi (Edmonton, Canada) 143

Switching valve with internal micro precolumn for on-line sample enrichment in capillary zone electrophoresis
by A. J. J. Debets, M. Mazereeuw, W. H. Voogt, D. J. van Iperen, H. Lingeman, K.-P. Hupe and U. A. Th. Brinkman (Amsterdam, Netherlands) 151

Capillary electrophoresis washing technique (Short Communication)
by S. Abdel-Baky and R. W. Giese (Boston, MA, USA) 159

Adjustment of resolution and analysis time in capillary zone electrophoresis by varying the pH of the buffer
by E. Kenndler and W. Friedl (Vienna, Austria) 161

Capillary electrophoresis of fluorescein–ethylenediamine–5'-deoxynucleotides
by W. Li, A. Moussa and R. W. Giese (Boston, MA, USA) 171

Influence of pH on the migration properties of oligonucleotides in capillary gel electrophoresis
by A. Guttman (Budapest, Hungary), A. Arai (Kyoto, Japan) and K. Magyar (Budapest, Hungary) 175

Determination of vasoactive intestinal peptide in rat brain by high-performance capillary electrophoresis
by J. Soucheleau (Lyon, France) and L. Denoroy (Vernaison, France) 181

Monitoring excitatory amino acid release *in vivo* by microdialysis with capillary electrophoresis–electrochemistry
by T. J. O'Shea, P. L. Weber, B. P. Bammel, C. E. Lunte and S. M. Lunte (Lawrence, KS, USA) and M. R. Smyth (Dublin, Ireland) 189

Effect of buffer constituents on the determination of therapeutic proteins by capillary electrophoresis
by N. A. Guzman, J. Moschera, K. Iqbal and A. W. Malick (Nutley, NJ, USA) 197

Capillary electrophoretic determination of the protease Savinase in cultivation broth
by A. Vinther (Bagsvaerd, Denmark), J. Petersen (Gentofte, Denmark) and H. Søeberg (Lyngby, Denmark) 205

Separation of phosphorylated histone H1 variants by high-performance capillary electrophoresis
by H. Lindner, W. Helliger, A. Dirschlmayer, H. Talasz, M. Wurm and B. Sarg (Innsbruck, Austria), M. Jaquemar (Klosterneuburg, Austria) and B. Puschendorf (Innsbruck, Austria) 211

Ultramicro enzyme assays in a capillary electrophoretic system
by J. Bao and F. E. Regnier (West Lafayette, IN, USA) 217

Capillary electrophoresis of hemoglobins and globin chains
by M. Zhu, R. Rodriguez, T. Wehr and C. Siebert (Hercules, CA, USA) 225

Attachment of a single fluorescent label to peptides for determination by capillary zone electrophoresis
by J. Y. Zhao, K. C. Waldron, J. Miller, J. Z. Zhang, H. Harke and N. J. Dovichi (Edmonton, Canada) 239

Analysis of antiepileptic drugs in human plasma using micellar electrokinetic capillary chromatography
by K.-J. Lee and G. S. Heo (Daeduk Science Town, South Korea) and N. J. Kim and D. C. Moon (Cheongju, South Korea) 243

Confirmation testing of 11-nor-Δ^9-tetrahydrocannabinol-9-carboxylic acid in urine with micellar electrokinetic capillary chromatography
by P. Wernly and W. Thormann (Berne, Switzerland) 251

Study of protein–drug binding using capillary zone electrophoresis
by J. C. Kraak, S. Busch and H. Poppe (Amsterdam, Netherlands) 257

Chiral separations of basic drugs and quantitation of bupivacaine enantiomers in serum by capillary electrophoresis with modified cyclodextrin buffers
by H. Soini (Bloomington, IN, USA), M.-L. Riekkola (Helsinki, Finland) and M. V. Novotny (Bloomington, IN, USA) 265

Chiral separation by capillary electrophoresis with oligosaccharides
by A. D'Hulst and N. Verbeke (Leuven, Belgium) 275

High-performance capillary electrophoresis of unsaturated oligosaccharides derived from glycosaminoglycans by digestion with chondroitinase ABC as 1-phenyl-3-methyl-5-pyrazolone derivatives
by S. Honda, T. Ueno and K. Kakehi (Higashi-Osaka, Japan) 289

Separation of natural and synthetic heparin fragments by high-performance capillary electrophoresis
by J. B. L. Damm, G. T. Overklift, B. W. M. Vermeulen, C. F. Fluitsma and G. W. K. van Dedem (Oss, Netherlands) 297

Identification of vitamin B_{12} and analogues by high-performance capillary electrophoresis and comparison with high-performance liquid chromatography
by D. Lambert, C. Adjalla, F. Felden, S. Benhayoun, J. P. Nicolas and J. L. Guéant (Vandoeuvre, France) 311

Effect of the buffer solution on the elution order and separation of bis(amidinohydrazones) by micellar electrokinetic capillary chromatography
by P. Lukkari, J. Jumppanen, T. Holma and H. Sirén (Helsinki, Finland), K. Jinno (Toyohashi, Japan) and H. Elo and M.-L. Riekkola (Helsinki, Finland) 317

Determination of quaternary ammonium compounds by capillary electrophoresis using direct and indirect UV detection
by C. S. Weiss, J. S. Hazlett, M. H. Datta and M. H. Danzer (Racine, WI, USA) 325

Investigation of the properties of novel acrylamido monomers by capillary zone electrophoresis
by C. Gelfi, P. de Besi, A. Alloni and P. G. Righetti (Milan, Italy) 333

Investigation of the properties of acrylamide bifunctional monomers (cross-linkers) by capillary zone electrophoresis
by C. Gelfi, A. Alloni, P. de Besi and P. G. Righetti (Milan, Italy) 343

Sodium dodecyl sulfate–capillary gel electrophoresis of proteins using non-cross-linked polyacrylamide
by D. Wu and F. E. Regnier (West Lafayette, IN, USA) 349

Assessment of the capabilities of capillary zone electrophoresis for the determination of hippuric and orotic acid in whey
by P. A. Tienstra, J. A. M. van Riel, M. D. Mingorance and C. Olieman (Ede, Netherlands) 357

Factors influencing the separation and quantitation of intact glucosinolates and desulphoglucosinolates by micellar electrokinetic capillary chromatography
by S. Michaelsen, P. Møller and H. Sørensen (Frederiksberg, Denmark) 363

Analysis of alkylaromatic sulphonates by high-performance capillary electrophoresis
by P. L. Desbène (Evreux, France), C. Rony (Paris, France) and B. Desmazières and J. C. Jacquier (Rouen, France) . 375

Various approaches to analysis of difficult sample matrices of anions using capillary ion electrophoresis
by W. R. Jones and P. Jandik (Milford, MA, USA) 385

Optimization of detection sensitivity in the analysis of inorganic cations by capillary ion electrophoresis using indirect photometric detection
by A. Weston and P. R. Brown (Kingston, RI, USA) and P. Jandik, A. L. Heckenberg and W. R. Jones (Milford, MA, USA) 395

Determination of phenolic carboxylic acids by micellar electrokinetic capillary chromatography and evaluation of factors affecting the method
by C. Bjergegaard, S. Michaelsen and H. Sørensen (Frederiksberg, Denmark) 403

Separation of inositol phosphates by capillary electrophoresis
by A. Henshall, M. P. Harrold and J. M. Y. Tso (Sunnyvale, CA, USA) 413

Chiral separations by capillary electrophoresis using cyclodextrin-containing gels
by I. D. Cruzado and Gy. Vigh (College Station, TX, USA) 421

Author Index 427